

CITY OF LINCOLN/LANCASTER COUNTY

**CONTRACT AWARD NOTIFICATION
SEASONAL REQUIREMENTS FOR
VARIOUS PORTLAND CEMENT MIXTURES**

DATE: March 4, 2003

CONTRACT PERIOD: May 1, 2003 thru Dec. 1, 2003

CONTRACTOR: Capital Concrete Company
431 "A" Street
P.O. Box 82233
Lincoln, NE 68502

**PURCHASING DIVISION
K-STREET COMPLEX
440 SOUTH 8TH STREET
LINCOLN, NEBRASKA 68508
(402) 441-7410**

Company Representative: Donald Voges
Telephone No.: 402/476-6679
FAX No.: 402/476-1754

THE CITY/COUNTY'S SPECIFICATIONS AND THE CONTRACTOR'S ACCEPTED PROPOSAL AND PRICING SCHEDULES, NOW ON FILE IN THE OFFICE OF THE CITY CLERK AND/OR THE COUNTY CLERK, ARE ADOPTED BY REFERENCE AND ARE AS FULLY A PART OF THIS CONTRACT FOR THE ABOVE-NAMED COMMODITY AS IF REPEATED VERBATIM HEREIN.

AS PER ATTACHED CONTRACTOR PRICE LIST

NO ACTION NEED BE TAKEN BY THE CONTRACTOR AT THIS TIME. ORDERS FOR MATERIAL WILL BE MADE AS NEEDED BY THE VARIOUS CITY/COUNTY DEPARTMENTS.

DEPARTMENTS REQUIRING CATALOGS AND/OR PRICING SCHEDULES SHALL NOTIFY THE CONTRACTOR DIRECTLY.

E.O. #66917
Dated: 2/28/03


Capital Concrete Company

PLANT AND OFFICE — 431 A STREET

CONTRACTOR'S PRICE LIST

EFFECTIVE MAY 1, 2002

TELEPHONE 476-6679



P.O. BOX 82233

LINCOLN, NEBR. 68501

The following prices are for the City Zone, which includes the area within 10 miles of the City Limits. Prices are per cubic yard and are based on a minimum load of 9 cubic yards. The mix identification indicates the type of aggregate and the 28-day strength of the mix. Refer to the General Conditions on page 2 for information pertaining to concrete strengths.

SAND-GRAVEL CONCRETE

SG-2000	\$66.20
SG-2500	68.15
SG-3000	70.00
SG-3500	72.15
SG-4000	74.25

10% LIMESTONE AND 90% SAND-GRAVEL CONCRETE

LSG-2000	66.50
LSG-2500	68.50
LSG-3000	70.60
LSG-3500	72.70

20% LIMESTONE AND 80% SAND-GRAVEL CONCRETE

LSG(20)2500	69.00
LSG(20)3000	70.90

30% LIMESTONE AND 70% SAND-GRAVEL CONCRETE

L-3000	70.50
L-3500(47B)	72.50
L-4000	74.50
L-4500(47BD)	76.00

ADMIXTURES

122-HE(8 oz = 1/2%)	\$1.35
122-HE(16 oz = 1%)	2.70
122-HE(24 oz = 1-1/2%)	4.05
122-HE(32 oz = 2%)	5.40
122-HE(48 oz = 3%)	8.10
122-HE(64 oz = 4%)	10.80
Fibermesh	8.00 per bag

SAND-GRAVEL FLY ASH CONCRETE

SGF-2000	\$64.70
SGF-2500	66.65
SGF-3000	68.50
SGF-3500	70.65
SGF-4000	72.75

10% LIMESTONE AND 90% SAND-GRAVEL FLY ASH CONCRETE

LSGF-2000	65.00
LSGF-2500	67.00
LSGF-3000	69.10
LSGF-3500	71.20

20% LIMESTONE AND 80% SAND-GRAVEL FLY ASH CONCRETE

LSGF(20)2500	67.50
LSGF(20)3000	69.40

30% LIMESTONE AND 70% SAND-GRAVEL FLY ASH CONCRETE

LF-3000	69.00
LF-3500	71.00
LF-4000	73.00
LF-4500	74.50

OTHER MATERIALS

Exp. Joine - 1/2" x 4"	\$ 0.45
Exp. Joint - 1" x 4"075
Exp. Joint - 1" x 5"090
Exp. Join - 1" x 6"110
Sand-Gravel, per ton	11.50
Limestone, per ton	17.00

PART LOAD CHARGE

The following additional charge will be added to each order, or order back of less than 10 cubic yards.

Part Load	Added Charge	Part Load	Added Charge	Part Load	Added Charge	Part Load	Added Charge
1/4	\$48.00	2-1/2	\$39.00	4-3/4	\$25.50	7	\$11.00
1/2	48.00	2-3/4	37.50	5	24.00	7-1/4	10.50
3/4	48.00	3	36.00	5-1/4	23.50	7-1/2	9.00
1	48.00	3-1/4	34.50	5-1/2	21.00	7-3/4	7.50
1-1/4	46.50	3-1/2	33.00	5-3/4	19.50	8	6.00
1-1/2	45.00	3-3/4	31.50	6	18.00	8-1/4	4.50
1-3/4	43.50	4	30.00	6-1/4	16.50	8-1/2	3.00
2	42.00	4-1/4	28.50	6-1/2	15.00	8-3/4	1.50
2-1/4	40.50	4-1/2	27.00	6-3/4	13.50	9	0.00

The following per cubic yard prices will be added to the City Limit prices for delivery to destinations beyond 10 miles from the City Limits.

Miles from City Limit	Loads of 9 cubic yards or over	Loads of 6 to 8 3/4 cubic yards	Loads of Under 6 cubic yards
10 to 15	\$2.00	\$4.00	\$ 8.00
16 to 20	4.00	8.00	16.00
21 to 25	6.00	12.00	24.00
26 to 30	8.00	16.00	32.00

Winter Prices: Add \$3.00 per cubic yard for concrete delivered from November 15th through March 15th. This charge is due to the excessive operating costs incurred during winter months.

Truck Holding Time: A charge of \$48.00 per hour may be made for holding a truck at the job site in excess of 30 minutes.

Wrecker Services: The customer shall provide suitable access for the truck to get to and from the discharge point under its own power. Failure to do so may result in an added charge for the services of a wrecker or tow truck.

Customer Responsibility: The purchaser or user will be responsible for damage to persons or property caused by seller's truck when the driver of said truck is directed by the purchaser or user to drive the truck beyond the curb line.

Hours of Operation: Normal hours of operation are from 7:00 AM. to 5:00 P.M., Mondays through Friday. Winter hours are from 7:30 AM. to 4:30 P.M. An added charge will be made when delivery is required other than during normal hours or on a Saturday, Sunday or holiday.

Terms: A 2% discount will be allowed on payments made by the 15th of the month for material delivered the previous month, providing there is no unpaid balance. A finance charge will be applied to the unpaid balance at the rate of 1.33% per month (Annual rate of 16%).

Concrete Strength: Normally the 2000 psi and 2500 psi strength concrete mixes are used for footings or protected, non-structural uses, and 3000 psi or over mixes are used for exposed slabs, walls and structural work. The strength indicated for each mix on the price list is based on a slump of 4 inches or less. Capital Concrete Company assumes no responsibility for the strength or durability of concrete used which has a slump of over 4 inches, or which has an additive placed in the concrete after it leaves the concrete plant.

When strength is used as a basis for acceptance of the strength, standard specimens shall be made, cured and tested in accordance with the latest publication of A.S.T.M. C-31, and acceptance based on paragraph 16.5.1 of A.S.T.M. C-94-74a, which states that no more than 20% of the strength tests shall have values less than the specified strength. The average of any six consecutive strength tests shall be equal to or greater than the specified strength.

PRICES SUBJECT TO CHANGE WITHOUT NOTICE.